

ВВ	Ho et al., 1989, Gene 15:51-59	
ВС	Israel et al., 1996, Immunol. 89:573-578	
JC77 BD	Johnson et al., 1997, J. Infectious Disease 176:1215-1224	
WOT ABE	Junghans, 1997, Immunologic Research 16(1):29-57	
16 19	Junghans et al., 1996, Proc. Natl. Acad. Sci. USA 93:5512-5516	
<b>J</b> S <b>7</b> BG	BG Junghans, 1997, Blood 90(10):3815-3818	
CA TRACT BH	Junghans, 1997, Trends in Biotehenology 5(15):155	
ВІ	Kabat et al., 1991, Sequences of Proteins of Immunological Interest, U.S. Public Health Service, National Institutes of Health	
ВЈ	Kim et al., 1994, Scandinavian J. Immunol. 40(4):457-465	
ВК	Kim et al., 1995, Mol. Immunol. 32(7):467-475	
BL	Kim et al., 1994, Eur. J. Immunol. 24:542-548	
ВМ	Kim et al., 1994, Eur. J. Immunol. 24:2429-2439	
BN	Kim et al., 1994, FASEB J. 8:pA467	
ВО	BO Kim et al., 1995, 9th International Congress of Immunol., p.469  BP Kunkel et al., 1987, Methods Enzymol. 154:367-382  BQ Li et al., 1997, J. Mol. Biol. 269(3):385-394	
ВР		
BQ		
BR	Martin and Bjorkman, 1999, Biochemistry 38:12639-12647	
BS	Medesan et al., 1996, Eur. J. Immunol. 26:2533-2536	
ВТ	Medesan et al., 1997, J. Immunol. 158:2211-2217	
BU	Medesan et al., 1998, Eur. J. Immunol. 28(7):2092-2100	
BV	Popov et al., 1996, Mol. Immunol. 33:493-502	
BW	Popov et al., 1996, Mol. Immunol. 33:521-530	
BX	Sanger et al., 1977, Proc. Natl. Acad. Sci. USA 74:5463-5467	
ВҮ	Schuck, et al., 1999, Mol. Immunol. 36:1117-1125	
BZ	Shields et al., 2001, J. Biol. Chem. 276:6591-6604	
CA	Story et al., 1994, J. Exp. Med. 180:2377-2381	
СВ	Thatte et al., 1999, J. Exp. Med. 189(3):509-520	
СС	van der Merwe et al., 1993, EMBO J. 12:4945-4594	
CD	van der Merwe et al., 1994, Biochemistry 33:10149-10160	
CE	Vaughn and Bjorkman, 1997, Biochemistry 36:9374-9380	
CF	Ward and Qadri, 1997, Current Opinion Immunol. 9(1):97-106	
CG		
СН	West and Bjorkman, 2000, Biochemistry 39:9698-9708	
CI	Ahouse et al. Mouse MHC class I-like Fc receptor encoded outside the MHC. J Immunol. 1993 Dec 1; 151(11):6076-88.	
Cì	Burmeister et al. Crystal structure at 2.2 A resolution of the MHC-related neonatal Fc receptor. Nature. 1994 Nov 24;372(6504):336-43.	
СК	Burmeister et al. Crystal structure of the complex of rat neonatal Fc receptor with Fc. Nature. 1994 Nov 24;372(6504):379-83	

CL	Chintalacharuvu et al. Hybrid IgA2/IgG1 antibodies with tailor-made effector functions. Clin Immunol. 2001 Oct;101(1):21-31
СМ	Cianga et al. Identification and function of neonatal Fc receptor in mammary gland of lactating mice. Eur J Immunol. 1999 Aug;29(8):2515-23.
CN	Dickinson et al. Bidirectional FcRn-dependent IgG transport in a polarized human intestinal epithelial cell line. J Clin Invest. 1999 Oct;104(7):903-11
со	Ghetie et al. Multiple roles for the major histocompatibility complex class I- related receptor FcRn. Annu Rev Immunol. 2000;18:739-66. Review.
СР	Kristoffersen et al. Co-localization of the neonatal Fc gamma receptor and IgG in human placental term syncytiotrophoblasts. Eur J Immunol. 1996 Jul;26(7):1668-71
cq	Martin et al. Characterization of the 2:1 complex between the class I MHC-related Fc receptor and its Fc ligand in solution. Biochemistry. 1999 Sep 28;38(39):12639-47
CR	Raghavan et al. Investigation of the interaction between the class I MHC-related Fc receptor and its immunoglobulin G ligand. Immunity. 1994 Jul;1(4):303-15
CS	Raghavan et al. Analysis of the pH dependence of the neonatal Fc receptor/immunoglobulin G interaction using antibody and receptor variants. Biochemistry. 1995 Nov 14;34(45):14649-57
СТ	Rodewald R. pH-dependent binding of immunoglobulins to intestinal cells of the neonatal rat. J Cell Biol. 1976 Nov;71(2):666-9
CU	Sanchez et al. Stoichiometry of the interaction between the major histocompatibility complex-related Fc receptor and its Fc ligand. Biochemistry. 1999 Jul 20;38(29):9471-6
CV	Simister et al. An Fc receptor structurally related to MHC class I antigens. Nature. 1989 Jan 12;337(6203):184-7
CW	Vaughn et al. High-affinity binding of the neonatal Fc receptor to its IgG ligand requires receptor immobilization. Biochemistry. 1997 Aug 5;36(31):9374-80.
сх	Vaughn et al. Identification of critical IgG binding epitopes on the neonatal Fc receptor. J Mol Biol. 1997 Dec 12;274(4):597-607
CY	Wallace et al. Studies on the immunoglobulin-G Fc-fragment receptor from neonatal rat small intestine. Biochem J. 1980 Apr 15;188(1):9-16

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.